



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

February 28, 2026

PRESSURE VESSEL ENGINEERING LTD.
1440 KING ST N UNIT 1
ST. JACOBS ON N0B 2N0

Workorder Type: Registration - Fitting(Conventional)
Workorder No: 14912454
Your Reference No.: PVE-09587, 9587s-0 R1 - Scope of Registration
Registered to: MARSHALL EXCELSIOR COMPANY

Dear Nicole Kilgore,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0C18324.5R1
Main Design No.: ESV Valves 3/4" through 4" per Scope of Registration 9587s-0 R1
Expiry Date: Feb 28, 2036

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic , P. Eng.
Engineer, BPV
Tel. : +1 416-734-3429
Email : zgacevic@tssa.org

ATTN: NICOLE KILGORE
PRESSURE VESSEL ENGINEERING
#1 1440 KING STREET PO BOX 112
ST. JACOBS ON N0B 2N0

Date: 08-Apr-2026
TSBC Account #: 061511
TSBC Admin Number: 123568
Canadian Registration Number: 0C18324.51

Re: Application for Design Registration

The design, as detailed in your Design Portal application PVE-09587 for a Pressure Fitting is registered with the following notes and considerations:

Registered To:	Marshall Excelsior Company
Project Name:	PVE-09587
Drawing #:	Scope 9587s-0
Drawing Revision:	1

Conditions of Registration:

(1) Fitting Registration Expiry Date: 28-Feb-2036 (2) The registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of quality management system lapse before the expiry date indicated above, this registration shall become void.

Reviewer's Notes:

Any additional conditions and considerations from the initial province of registration shall apply to this BC registration.

Full details of this submission including the scope of registration, design conditions, fabrication details, and calculations pertaining to this design are located in the above Admin Number on the Design Portal. For all other enquiries, please contact eim@technicalsaftybc.ca.

The Engineering Information Management Team

March 18, 2026

Attention: Nicole Kilgore
PRESSURE VESSEL ENGINEERING INC
PO BOX 112
1440 KING STREET NORTH UNIT# 1
ST JACOBS, ON N0B 2N0

The design submission, Tracking Number 2026-01425, Web Portal Number 2026-S1165, originally received on March 06, 2026 was surveyed and accepted for registration as follows:

CRN : 0C18324.52 **Accepted on:** March 18, 2026
Reg Type: RENEWAL **Expiry Date:** February 28, 2036
Document No. Scope of Registration 9587s-0 Rev 1
Fitting type: Emergency Shutoff Valves

Design registered in the name of : MARSHALL EXCELSIOR COMPANY

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any questions don't hesitate to contact me by phone at (587) 686-9349 or fax (780) 437-7787 or e-mail Wangi@absa.ca.

Sincerely,



WANG, IAN, P. Eng.
DOP Cert. No. D00009643

REGISTRATION OF A PRESSURE FITTING DESIGN

March 23, 2026

Pressure Vessel Engineering
1440 King Street N, Unit 1, PO Box 112
St. Jacobs, ON
Canada
NOB 2N0

Attention: Nicole Kilgore

File Number: 104522

Re: Manufacturer: Marshall Excelsior Company

Item: Emergency Shut-off Valve

Catalog or Drawing: Scope of Registration 9587s-0 R1

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OC18324.53

Expiry Date: 2036-02-28

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,



Liting (Frank) Huang, P.Eng.

Codes and Standards Compliance

Remarks:

CRN issuance based upon registration by another province.
CRN renewal.

Statutory Declaration (Registration of Fittings)

TSK-1008

I. Declaration Information

I, Lisa Meyers
Director of Quality
(company title, e.g. vice president, plant manager, chief engineer)
(must be in a position of authority in the manufacturing plant where the fitting is produced)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



of: Marshall Excelsior Company
(name of manufacturer)
Camino a la montaña 166, Colonia Alce Blanco, 53370, Naucalpan de Juárez, Estado de México, Mexico

located at: _____
(Plant Address – Apt/Street) (City, Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

- Comply with the requirements of _____ which specifies the dimensions, (title of recognized North American Standard) Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
- Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3, 2024 Edition as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, DNV as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves

In support of this application, the following information, calculations and / or test data are attached:
See 9587s-0

II. Declaration

DECLARED before me at Marshall Excelsior in the state of Michigan
this 22 day of January, 2026
Pamela Willison My Commission Expires July 3, 2030
(print name) (Signature)
Pamela Willison July 3, 2030
(Signature of Commissioner of Oaths) NOTARY PUBLIC MICHIGAN Acting in the County of Calamus

III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and CSA B51, Clause 4.2, and is accepted for registration in Category _____

(Registration Number)

(Date Registered – MM DD YYYY)

(Expiry Date – MM DD YYYY)

(For the Administrator / Chief Inspector)

Technical Safety Authority of Saskatchewan
Registration No. OC18324.53
File No. 104522
Registered
Date: March 23, 2026
Expiry Date: February 28, 2036
Codes & Standards Compliance Office

Scope of Registration

- **Design Code:** ASME B31.3 2024 Edition
- **Design Pressure:** 400 psi
- **Design Temperature:** 200 °F
- **M.D.M.T:** -20 °F @ 400 psi
- **Corrosion allowance:** 0 - for non-corrosive service
- **RT:** None
- **PWHT:** None
- **Impact test:** Exempted per 323.2.2
- **Body Material:** A536 GRD 65-45-12
- **Hydrotest:** 600 psi



ESV Valves:

Refer to attached Marshal Excelsior catalog

Part No.	description	Drawing	Tested Sample
ME980-6	3/4" FNPT Emergency Shutoff Valve (ESV)	ME980-X	15010393-1
ME980-8	1" FNPT Emergency Shutoff Valve (ESV)	ME980-X	15010393-1
ME980C-6	3/4" FNPT Emergency Shutoff Valve (ESV)	ME980C-X	15010393-1
ME980C-8	1" FNPT Emergency Shutoff Valve (ESV)	ME980C-X	15010393-1
ME980-10	1-1/4" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-10	15010393-2
ME980C-10	1-1/4" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-10	15010393-2
ME980-12	1-1/2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-12	15010393-2
ME980C-12	1-1/2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-12	15010393-2
ME980-16	2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3

ME980C-16	2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3
ME980-24	3" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-4
ME980C-24	3" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-4
ME980-16-2F	2" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3
ME980C-16-2F	2" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3
ME980-24-3F	3" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5
ME980C-24-3F	3" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5
ME980-24-4F	4" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5
ME980C-24-4F	4" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5



May 22, 2026

Pressure Vessel Engineering Ltd
1-1440 King St N, PO Box 112
St. Jacob's ON N0B 2N0

Dear Nicole Kilgore,

Re: Reciprocal CRN Registration in Manitoba

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, the design reviews conducted and accepted by the Canadian province or territory, or their delegated safety authority, will be mutually recognized in the Province of Manitoba. If a registration is conditionally based on compliance with the notes set by the original issuing Jurisdiction, such compliance shall be applied the same to this Province.

Your submission has been registered, as follows:

File Number: 74-R6004
CRN: 0C18324.54
Scope: ESV Valves 3/4" through 4" per Scope of Registration 9587s-0 R1
Manufacturer: Marshall Excelsior Company
Expiry Date: 28 February 2036

Along with this letter is the invoice for registration.

In addition, every Pressure Vessel, Boiler, and Heat Exchanger shall be stamped with the registration number and as required by CSA Code B51, a Manufacturer's Data Report (MDR) must be forwarded to this office immediately at the time a unit is shipped to Manitoba. Send your MDR to gasupport@gov.mb.ca. In your subject line, indicate "*Manufacturer's Data Report-CRN No.*" A fee shall be billed to the Manufacturer to process data reports in accordance with the Steam and Pressure Plants Regulation section 17.1.

Please contact gasupport@gov.mb.ca for any questions or concerns.

Inspection and Technical Services

Labour and Immigration
508 – 401 York Avenue, Winnipeg, MB R3C 0P8
T (204) 945-3373 | F (204) 948-2089

Montréal, le 24 avril 2026.

NICOLE KILGORE
PRESSURE VESSEL ENGINEERING LTD
120 RANDALL DR., SUITE B
WATERLOO ONTARIO
CANADA N2V 1C6

Manufacturer : MARSHALL EXCELSIOR COMPANY
166 CAMINO A LA MONTAÑA
COLONIA ALCE NAUCALPAN JUARE
MEXICO 53370

OUR REFERENCE : 940629
Design number : 9587s-0 R1
0C18324.5R1

Subject: Design registration confirmation

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **0C18324.56**.

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each boiler or pressure vessel manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Direction des équipements sous pression

Montréal

255, boul. Crémazie Est, 2ième étage
Montréal (Québec) H2M 1L5
Téléphone : 514 873-2546
Sans frais : 1 866 262-2084
enregistrementdesplans@rbq.gouv.qc.ca
www.rbq.gouv.qc.ca

Scope of Registration

- **Design Code:** ASME B31.3 2024 Edition
- **Design Pressure:** 400 psi
- **Design Temperature:** 200 °F
- **M.D.M.T:** -20 °F @ 400 psi
- **Corrosion allowance:** 0 - for non-corrosive service
- **RT:** None
- **PWHT:** None
- **Impact test:** Exempted per 323.2.2
- **Body Material:** A536 GRD 65-45-12
- **Hydrotest:** 600 psi



ESV Valves:

Refer to attached Marshal Excelsior catalog

Part No.	description	Drawing	Tested Sample
ME980-6	3/4" FNPT Emergency Shutoff Valve (ESV)	ME980-X	15010393-1
ME980-8	1" FNPT Emergency Shutoff Valve (ESV)	ME980-X	15010393-1
ME980C-6	3/4" FNPT Emergency Shutoff Valve (ESV)	ME980C-X	15010393-1
ME980C-8	1" FNPT Emergency Shutoff Valve (ESV)	ME980C-X	15010393-1
ME980-10	1-1/4" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-10	15010393-2
ME980C-10	1-1/4" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-10	15010393-2
ME980-12	1-1/2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-12	15010393-2
ME980C-12	1-1/2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-12	15010393-2
ME980-16	2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3

ME980C-16	2" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3
ME980-24	3" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-4
ME980C-24	3" FNPT Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-4
ME980-16-2F	2" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3
ME980C-16-2F	2" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-16-XX	15010393-3
ME980-24-3F	3" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5
ME980C-24-3F	3" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5
ME980-24-4F	4" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5
ME980C-24-4F	4" - 300 lb. Flange Emergency Shutoff Valve (ESV)	ME980XXX-24-XX	15010393-5

Building Act (B-1.1)
Regulation respecting pressure vessels (B-1.1, r. 6.1)
Boiler, pressure vessel, and pressure piping code (CSA B51)



This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the www.rbq.gouv.qc.ca/fittings-pv.

1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional information (detail, calculations or approval sheets)
1	See 9587s-0	See 9587s-0
2		
3		
4		
5		

2. Declaration of the person in charge

The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

2.1 Design

I, the undersigned, Lisa Meyers Director of Quality
(Name of the person in charge) (Title of the person in charge)
from Marshall Excelsior Company, located at Camino a la montaña 166, Colonia Alce Blanco, 53370, Naucalpan de Juárez, Estado de México, Mexico
(Company's name) (Plant's address)

hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose
or

are not covered by the ANSI/ASME codes, but are in compliance with ASME B31.3, 2024 Edition
(Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

2.2 Manufacturing quality control

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the following code: ISO 9001:2015, and has been verified by DNV
(Name of code) (Authorized agency)

Signature of the person in charge: Lisa Meyers


Date (yyyy-mm-dd): 1.22.2024

3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at Marshall Excelsior, on 2020-01-22.
 (Location) (Date (yyyy-mm-dd)):

Signature of commissioner for oaths: Pamela Willison Date (yyyy-mm-dd): 2020-01-22

Stamp the seal:



PAMELA WILLISON
 My Commission Expires
 July 3, 2030
 County of Branch
 Acting in the County of Calhoun

4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class _____

This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period.

Canadian registration number (CRN):	Registration date (yyyy-mm-dd):
-------------------------------------	---------------------------------



Documents to attach

Any application registration for fittings must include these documents:

- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

Sending the form

This declaration is mandatory in order to submit an application registration of fittings.

Application registration for fittings must only be sent by mail to this address:

Bureau d'expertise et d'homologation en équipements sous pression
 Régie du bâtiment du Québec
 545, boulevard Crémazie Est, 7^e étage
 Montréal (Québec) H2M 2V2


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Carretera a la montaña 168, Colonia Ajos Blancos, 68370, Nahuatlán de Juárez, Estado de México, México	
PLANT LOCATIONS: Carretera a la montaña 168, Colonia Ajos Blancos, 68370, Nahuatlán de Juárez, Estado de México, México	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION:</p> <p>ASME B31.3, 2024 Edition</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center;">  </div>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Valves</p> <p>See 05076-0.</p>	

DECLARATION:

I, Lisa Meyers (non legal) employed by Marshall Excelsior Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure-temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Lisa Meyers
 Declared before me at Marshall Excelsior
 This 22 day of January, AD 2020
 Commissioner of Oaths or Notary Public (sign) Pamela Willison



PAMELA WILLISON
 My Commission Expires July 3, 2020
 F F I C I
 County of Quebec
 Acting in the County of Quebec

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

ACCEPTED

CRN: 0C18324.5 Rev.1
 Scope: CRN renewal, ESV (Emergency shutoff valves) ME980(C) valves, 400psig @ -20F to 200F, CDI, Sizes to 1". Changes to initial registration are:
 1- Design code year updated to 2024
 2- MDMT changed from -40 F to -20 F
 3- Hydrostatic Test added to the scope of registration document.
 4- Manufacturer ship location is changed (D.Gallant)

1. All fittings shall be registered in the name of the manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCE OF PRINCE EDWARD ISLAND
 C.R.N.: 0C18324.5 Rev.1
 DATE: MAR 13/26
 SIGNED: [Signature]
 INSPECTION SERVICES SECTION
 BOILER/PRESSURE VESSEL BRANCH
 Seal 1.0 - Fittings Rev. 1-06/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Camino a la montaña 165, Colonia Alca Blanco, 53370, Naucaipan de Juárez, Estado de México, México	
PLANT LOCATIONS: Camino a la montaña 165, Colonia Alca Blanco, 53370, Naucaipan de Juárez, Estado de México, México	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3, 2024 Edition</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Valves See 9587a-0	

DECLARATION:

I, Lisa Meyers (see note 3) employed by Marshall Excelsior Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Marshall Excelsior
 This 22 day of January, AD 2020
 Commissioner of Oaths or Notary Public: (sign) [Signature]


 PAMELA WILLISON
 My Commission Expires July 3, 2030
 F F I C
 County of Brunswick
 Acting in the County of Calhoun

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC18324.5 Rev.1

Scope: CRN renewal, ESV (Emergency shutoff valves) ME980(C) valves, 400psig @ -20F to 200F, CDI, Sizes to 1". Changes to initial registration are:


- 1- Design code year updated to 2024
- 2- MDMT changed from -40 F to -20 F
- 3- Hydrostatic Test added to the scope of registration document.
- 4- Manufacturer shop location is changed (DGallant)

1. All fittings shall be registered in the name of the Manufacturer.

2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




Date March 13/26

C.R.N. OC18324.58 Rev.1

Dwg. as described

Signed [Signature]

1 of 1
Part



Secl. 1.0 - Fittings Rev. 1 09/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Camino a la montaña 166, Colonia Alca Blanco, 83370, Naucalpan de Juárez, Estado de México, México	
PLANT LOCATIONS: Camino a la montaña 166, Colonia Alca Blanco, 83370, Naucalpan de Juárez, Estado de México, México	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves; all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3, 2024 Edition</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="border: 1px solid black; padding: 10px; width: fit-content; margin: 0 auto;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Valves</p> <p>See 9587s-0</p>	

DECLARATION:

I, Lisa Meyers (see note 3) employed by Marshall Excelsior Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Lisa Meyers*
 Declared before me at Marshall Excelsior
 This 22 day of January AD 2026
 Commissioner of Oaths or Notary Public: (sign) *Donk Wilkes*


 PAMELA WILLISON
 My Commission Expires FOR
 July 3, 2030
 Acting in the County of Calhoun
 DEPT OF JUSTICE PUBLIC SAFETY
 BOILER & PRESSURE VESSELS

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance:</p> <p>CRN: <u>0C18324.5 Rev.1</u></p> <p>Scope: CRN renewal, ESV (Emergency shutoff valves) ME980(C) valves, 400psig @ -20F to 200F, CDI. Sizes to 1". Changes to initial registration are:</p> <ol style="list-style-type: none"> 1- Design code year updated to 2024 2- MDMT changed from -40 F to -20 F 3- Hydrostatic Test added to the scope of registration document. 4- Manufacturer shop location is changed (DGallant) <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<p align="center">CRN <u>0C18324.57 Rev1</u></p> <p align="center"><i>Donk Wilkes</i></p> <p align="center">CHIEF ENGINEER</p> <p align="center">DATE <u>3/13/26</u></p> <p> <input type="checkbox"/> BLRs <input type="checkbox"/> FCS <input checked="" type="checkbox"/> FITTINGS <input type="checkbox"/> NUCLEAR </p> <p align="right">Sect. 1.0 - Fittings Rev. 1 06/2003</p>
---	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Carretera a la montaña 166, Colonia Aco Blanco, 83370, Neocateopan de Juárez, Estado de México, Mexico	
PLANT LOCATIONS: Carretera a la montaña 166, Colonia Aco Blanco, 83370, Neocateopan de Juárez, Estado de México, Mexico	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY.	
<input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3, 2024 Edition
SHOW MANUFACTURERS NAME, TRADEMARK OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Valves See 0507a-0	

DECLARATION:

I, Lisa Meyers (see note 3) employed by Marshall Excelsior Company, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Marshall Excelsior
 This 22 day of January, AD 2026
 Commissioner of Oaths or Notary Public: (sign) [Signature]



FAMELA WILLISON
 My Commission Expires July 2, 2030
 F F I C
 County of Brunce
 Acting in the County of Calbrun

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. Newfoundland Labrador	
CRN: <u>0C18324.5 Rev.1</u> Scope: CRN renewal, ESV (Emergency shutoff valves) ME980(C) valves. 400psig @ -20F to 200F. CDI. Sizes to 1". Changes to initial registration are: 1- Design code year updated to 2024 2- MDMT changed from -40 F to -20 F 3- Hydrostatic Test added to the scope of registration document. 4- Manufacturer shop location is changed (OGallant) 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	Registered <u>0C18324.5 Rev.1</u> Date <u>March 17, 2026</u> Engineering and Inspection Services Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS • Fittings Rev. 1 09/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Camino a la montaña 166, Colonia Alca Blanco, 53370, Nahuacapan de Juárez, Estado de México, México	
PLANT LOCATIONS: Camino a la montaña 166, Colonia Alca Blanco, 53370, Nahuacapan de Juárez, Estado de México, México	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3, 2024 Edition</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>Valves</p> <p>See 9587s-0</p>	

DECLARATION:


I, Lisa Meyers (see note 3) employed by Marshall Excelsior Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Lisa Meyers

Declared before me at Marshall Excelsior

This 22 day of January AD 2026

Commissioner of Oaths or Notary Public: (sign) Donna Welles


 PAMELA WILLISON
 My Commission Expires July 3, 2030
 F F I C
 County of Brandon
 Acting in the County of Calhoun

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
<p>GRN: <u>0C18324.5 Rev.1</u></p> <p>Scope: CRN renewal. ESV (Emergency shutoff valves) ME980(C) valves. 400psig @ -20F to 200F. CDI. Sizes to 1". Changes to initial registration are:</p> <ol style="list-style-type: none"> Design code year updated to 2024 MDMT changed from -40 F to -20 F Hydrostatic Test added to the scope of registration document. Manufacturer shop location is changed (D.Gallant) <ol style="list-style-type: none"> All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	 <p>GOVERNMENT OF YUKON</p> <p>BY <u>[Signature]</u></p> <p>CRN <u>0C18324.5Y REV1</u></p> <p>DATE <u>2026/03/13</u></p> <p>BOILER BRANCH</p> <p><small>Sec: 1.06 Fittings Rev. 06/2003</small></p>


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Camino a la montaña 168, Colonia Alca Blanco, 53370, Naucalpan de Juárez, Estado de México, Mexico	
PLANT LOCATIONS: Camino a la montaña 168, Colonia Alca Blanco, 53370, Naucalpan de Juárez, Estado de México, Mexico	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components; Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3, 2024 Edition</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="border: 1px solid black; padding: 10px; width: 150px; margin: 0 auto;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Valves</p> <p>See 9587s-0</p>	

DECLARATION:


I, Lisa Meyers (see note 3) employed by Marshall Excelsior Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Lisa Meyers

Declared before me at Marshall Excelsior

This 22 day of January, AD 2026

Commissioner of Oaths or Notary Public: (sign) Donk Welles


 PAMELA WILLISON
 My Commission Expires FOR
 July 3, 2030
 County of Brandon
 Acting in the County of Brandon

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OC18324.5 Rev.1</u></p> <p>Scope: CRN renewal. ESV (Emergency shutoff valves) ME980(C) valves. 400psig @ -20F to 200F. CDI. Sizes to 1". Changes to initial registration are:</p> <ol style="list-style-type: none"> 1- Design code year updated to 2024 2- MDMT changed from -40 F to -20 F 3- Hydrostatic Test added to the scope of registration document. 4- Manufacturer shop location is changed (Dgallant) <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	
---	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Marshall Excelsior Company	
MANUFACTURERS ADDRESS: Camino a la montaña 168, Colonia Alca Blanco, 83370, Naucalpan de Juárez, Estado de México, México	
PLANT LOCATIONS: Camino a la montaña 168, Colonia Alca Blanco, 83370, Naucalpan de Juárez, Estado de México, México	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSO or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3, 2024 Edition</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center;">  </div>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Valves</p> <p>See 0587s-0</p>	

DECLARATION:


I, Lisa Meyers (see note 3) employed by Marshall Excelsior Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Lisa Meyers

Declared before me at Marshall Excelsior

This 22 day of January AD 2026

Commissioner of Oaths or Notary Public: (sign) Paul Welles



PAMELA WILLISON
 My Commission Expires **FOR** June 3, 2030
 County of **English**
 Acting in the **Province of Nunavut**

NUNAVUT
 Boilers and
 Pressure Vessels Act

REGISTERED
 CRN OC18324.5N Rev.1
 Date 03/13/2026
 Signed [Signature]
Chief Inspector

Territorial Registration Fee

This space for Regulatory Authority use only

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC18324.5 Rev.1

Scope: CRN renewal. ESV (Emergency shutoff valves) ME980(C) valves. 400psig @ -20F to 200F. CDI. Sizes to 1". Changes to initial registration are:

- 1- Design code year updated to 2024
- 2- MDNIT changed from -40 F to -20 F
- 3- Hydrostatic Test added to the scope of registration document.
- 4- Manufacturer shop location is changed (DGallant)
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.